



**CORPORATE HEADQUARTERS
PATENT LAW DEPARTMENT
ONE JOHNSON & JOHNSON PLAZA
NEW BRUNSWICK, NEW JERSEY 08933**

FACSIMILE TRANSMISSION COVER SHEET

TO: Examiner Chorbaji

COMPANY: USPTO

FACSIMILE NUMBER: (703) 305-3599

FROM: Anne B. Kiernan

TELEPHONE NO.: (732) 524-2724

ROOM NO.: WH3232

DATE: April 19, 2001

FACSIMILE NUMBER: (732) 524-5889

NUMBER OF PAGES INCLUDING THIS COVER SHEET: 15

IF THERE IS A PROBLEM WITH THIS TRANSMISSION, PLEASE CALL (732) 524-2724

COMMENTS: Amendment and Response for Serial No. 09/259,758 (VTN-0388)

THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE SOLELY TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

**FAX RECEIVED
APR 19 2001
GROUP 1000
Official**

Docket No. VTN-424

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Brown-Skrobot et al.

Serial No. : 09/259,758

Art Unit: 1744

Filed : March 1, 1999

Examiner: Chorbaji, M

For : Method of Sterilization

I hereby certify that this correspondence is being faxed to the
United States Patent and Trademark Office at (703)305-3599 on

April 19, 2001

(Date)

Anne B. Kiernan

Name of applicant, assignee, or Registered Representative

(Signature)

April 19, 2001

(Date of Signature)

Assistant Commissioner for Patents
Washington, D.C. 20231

Amendment and Response

This amendment and remarks are in response to the Office Action mailed January 19, 2001, providing for a 3 month response period, making the due date April 19, 2001. This response is timely filed. Kindly enter the following amendments and remarks into the application as follows: